

SAFETY DATA SHEET

HAND SANITIZER

SDS

☒ According to GHS (Seventh Revised Edition)

Section 1 Product and Company Identification

> Product Identifier

Product Name HAND SANITIZER

Synonyms -

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the seventh revised edition):

> GHS Hazard Class

Flammable Liquids Category 2

Serious Eye irritation Category 2

Specific Target Organ Toxicity (Single Exposure) Category 3

Skin sensitisation Category 1B

> GHS Label Elements

Pictogram



Signal Word

Danger

> Hazard Statements

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H317	May cause an allergic skin reaction

> Precautionary Statements

Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P261	Avoid breathe dust/fumes/gas/mist/vapours/spray

Response

P370+P378	In case of fire: Use dry chemical, carbon dioxide or alcohol-resistant foam to extinguish.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists get medical advice/attention.

Storage

P403+P235	Store in a well-ventilated place. Keep cool.
-----------	--

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations. SUSDP Safety Directions: DO NOT SWALLOW. Avoid breathing vapour and avoid contact with the eyes and skin.
------	--

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Ethanol	75%	64-17-5	200-578-6
Acrylic acid Polymers	0.5%	9003-01-4	202-415-4
Trolamine	0.5%	102-71-6	203-049-8
Water	24%	7732-18-5	231-791-2

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> **Most Important Symptoms and Effects, both Acute and Delayed**

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> **Indication of Any Immediate Medical Attention and Special Treatment Needed**

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> **Extinguishing Media**

Suitable Extinguishing Media Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter or spread fire.

> **Specific Hazards Arising from the Substance or Mixture**

- 1 Will form explosive mixtures with air.
- 2 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expand or decompose explosively when heated or involved in fire.

> **Advice for Firefighters**

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> **Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> **Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.
- 9 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m ³	ppm	mg/m ³
Ethanol 64-17-5	USA - OSHA	1000	1900	-	-
	South Korea	1000	1900	-	-
	Ireland	-	-	1000	-
	Germany (AGS)	500	960	1000	1920
	Denmark	1000	1900	2000	3800
	Australia	1000	1880	-	-
Trolamine 102-71-6	Switzerland	-	5	-	20
	Sweden	0.8	5	1.6	10
	Ireland	-	5	-	-

	Germany (DFG)	-	5	-	20
	Denmark	0.5	3.1	1	6.2
	Australia	-	5	-	-

Biological Limit Values

No information available

Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand Protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body Protection	Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties

Appearance: colourless transparent liquid	Odor: No information available
Odor Threshold: No information available	pH: No information available
Melting Point/Freezing Point (☒): No information available	Initial Boiling Point and Boiling Range (☒): No information available
Flash Point (☒)(Closed Cup): 21	Evaporation Rate: No information available
Flammability: Not applicable	Upper/lower explosive limits[% (v/v)]: Upper limit : No information available ; Lower limit : No information available
Vapor Pressure (KPa): No information available	Relative Vapour Density(Air = 1): No information available
Relative Density(Water = 1): No information available	Solubility: No information available
n-Octanol/Water Partition Coefficient: No information available	Auto-Ignition Temperature(☒): No information available
Decomposition Temperature (☒): No information available	Kinematic Viscosity (mm²/s): No information available
Particle characteristics: Not applicable	

Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
-------------------	---

Chemical Stability	Stable under proper operation and storage conditions.
Possibility of Hazardous Reactions	In contact with oxidants causes severe reactions, and may cause a fire or explosion. In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to Avoid	Incompatible materials, heat, flame and spark.
Incompatible Materials	Oxidants, alkali metals, alkaline earth metals and aluminum. Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Acrylic acid Polymers	9003-01-4	2500mg/kg(Rat)	No information available	No information available
Trolamine	102-71-6	5846mg/kg(Mouse)	No information available	No information available
Ethanol	64-17-5	7060mg/kg(Rat)	No information available	39mg/L(Mouse)

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	64-17-5	Ethanol	Category 1	Not Listed
2	9003-01-4	Acrylic acid Polymers	Category 3	Not Listed
3	102-71-6	Trolamine	Category 3	Not Listed
4	7732-18-5	Water	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Trolamine	102-71-6	LC ₅₀ : 11800mg/L (96h)(Fish)	EC ₅₀ : 610mg/L (48h)	No information available
Ethanol	64-17-5	LC ₅₀ : 11000mg/L (96h)(Fish)	EC ₅₀ : 9950mg/L (48h)	No information available

> Chronic Aquatic Toxicity

No information available

> Others**Persistence and Degradability
Bioaccumulative Potential**

No information available

Mobility in Soil

No information available

Results of PBT and vPvB Assessment

Ethanol does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.
 Acrylic acid Polymers does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.
 Trolamine does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.
 Water does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Contaminated Packaging

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Disposal Recommendations Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant None

UN Number 1170

UN Proper Shipping Name ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport Hazard Class 3

Transport Subsidiary Hazard Class NONE

Packing Group ☒

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Ethanol	✓	✓	✓	✓	✓	✓	✓	✓	✓
Acrylic acid Polymers	✗	✓	✓	✓	✓	✓	✗	✓	✓
Trolamine	✓	✓	✓	✓	✓	✓	✓	✓	✓
Water	✓	✓	✓	✓	✓	✓	✓	✓	✗

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.

[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

"✓" Indicates that the substance included in the regulations

"✗" That no data or included in the regulations

Section 16 Additional Information

Creation Date 2020/03/04

Revision Date 2020/03/04

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.